

# Don't Give Up 5 Minutes Before the Miracle

**Lawyers Concerned for Lawyers of PA**

**Confidential Helpline: 1-888-999-1941**

**[www.lclpa.org](http://www.lclpa.org)**

**LAWYERS CONCERNED FOR LAWYERS  
PENNSYLVANIA**

**[www.lclpa.org](http://www.lclpa.org)**

**Confidential Helpline**

**1-888-999-1941**

**24 hrs/day, 7 days/week, 365 days/year**

**Independent, non-profit PA corporation**

- ▶ Free information and literature
- ▶ Free evaluation by a healthcare professional
- ▶ Free assistance with interventions
- ▶ Peer support
- ▶ Lawyer/Judges-only 12 Step meetings
- ▶ LCL staff support

**Our services are free, confidential,  
non-judgmental and non-obligatory.**

[www.lclpa.org](http://www.lclpa.org)

2

## Why Are We Here?

The legal profession has the highest rate of major depression (at least 20%) of any occupation.

- ▶ Attorneys are nearly 4 times more likely to suffer from depression than others.
- ▶ 28% of lawyers screened positive for depressive symptoms in a recent landmark study of >12,000 U.S. attorneys. (Krill, et al.)
- ▶ Attorneys are nearly twice as likely than the general population to develop a substance use disorder (18-21%).

[www.lclpa.org](http://www.lclpa.org)

3

## Why Are We Here?

At least 1 in 5 lawyers will develop a substance use (SUD) and/or mental health disorder.

- ▶ Only 1 in 10 in the general population will develop a SUD.
- ▶ 40-70% of all disciplinary cases involve chemical dependency.
- ▶ Many substance abusers appear 'functional' in the workplace.
- ▶ The job is often the last place things fall apart.

[www.lclpa.org](http://www.lclpa.org)

4

## Why Are Attorneys at High Risk of Mental Health & Substance Use Disorders?

- ▶ **High expectations and accountability**
  - Lack of work-life balance
- ▶ **High stress level**
  - High stress levels & work-weeks >50 hrs. are consistent predictors of SUDs and their severity.
  - 67% of attorneys work more than 40 hours/week.
- ▶ **Inherent pessimism**

www.lclpa.org

5

- ✓ **Excessive self-reliance**
- ✓ **Conflict driven and adversarial profession**
- ✓ **Emotional detachment**
- ✓ **Win-lose, often rigid thinking (black and white thinking)**
- ✓ **Perfectionism**

*These characteristics are highly beneficial and rewarded in the practice of law but are often harmful to mental health. It's very difficult to turn these 'off' after work, thus leading to an increased risk of mental health and substance abuse issues.*

www.lclpa.org

6

## Workplace Culture of the Legal Profession

- ▶ Many firms are highly permissive of drinking. (with colleagues & clients, to celebrate a successful case, etc.)
- ▶ 66% of attorneys reported social drinking connected to work.
- ▶ 77% of lawyers who self-reported an alcohol use problem were drinking at lunch.
- ▶ Colleagues tend to ignore, tolerate, and enable substance use.

www.lclpa.org

7

## The problem is bad and getting worse.

**Data from Krill, Johnson & Albert 2016 survey of >12,000 lawyers:**

- ▶ 28% of lawyers suffer depression symptoms (vs. 19% in 1990 study)\*
- ▶ 21% of lawyers exhibit problem drinking (vs. 18% in 1990).\*

www.lclpa.org

8

## Problematic Alcohol Use\*

ATTORNEYS

**21%**

ALL HIGHLY EDUCATED WORKERS

**12%**

*\*Using the AUDIT Alcohol Use Test; indicates hazardous, harmful, and potentially alcohol-dependent drinking*

[www.lclpa.org](http://www.lclpa.org)

9

## Which Attorneys Are at Highest Risk for Alcohol Use Disorder?

- ▶ Lawyers practicing within the first 15 yrs. after law school
- ▶ Lawyers at or under age 30 (32%)
- ▶ Male attorneys > Female attorneys
- ▶ Those working in lower level positions in private firms (i.e. junior associates)

[www.lclpa.org](http://www.lclpa.org)

10

## Problematic Drinking by Lawyers



\*Lawyers age <30, under 10 yrs. in practice and Jr. Associates at highest risk.\*

## Substance Abuse vs. Addiction & Alcoholism

With substance abuse (or misuse), the use of a substance is beginning to cause problems with school, work, relationships, finances, the law, etc.

- ▶ Upon becoming aware that the substance use is causing problems, substance abusers can moderate or discontinue their use.
- ▶ In contrast, true addiction/alcoholism is...

## Alcoholism & Addiction

- ▶ **A primary, chronic, progressive and often fatal disease of the brain reward, motivation, memory and related circuitry.**
- ▶ **Genetic, psychosocial, biologic and environmental factors influence its development and symptoms.**
- ▶ **Characterized by continuous or periodic:**
  - impaired control over use
  - continued use despite negative consequences
  - cravings/preoccupation with the substance
  - development of tolerance (need/use increasing amounts)
  - occurrence of withdrawal symptoms when not using
  - cognitive distortions (impaired thinking & often denial)

www.lclpa.org

13

## Biology of Addiction

- ▶ Drugs and alcohol ‘highjack’ the brain over time, causing significant changes in how brain regions communicate with each other (via changes in chemicals called **neurotransmitters**).
- ▶ Decreased activity in the brain’s **pre-frontal cortex**, where rational thinking, decision making and prediction of consequences ‘lives.’
- ▶ Decreased communication between the frontal cortex and the **‘primitive’ mid-brain** (which is primarily the ‘fight or flight’ part of the brain) impairs impulse control.
- ▶ Decreased size of **hippocampus** over time causes memory loss.
- ▶ Family history- several genes identified that increase the risk; up to 50% of your risk is determined by **genetics**

**Many of the brain chemicals and areas affected by addiction are also implicated in major depression.**

www.lclpa.org

14

## The Impact of Untreated Addiction & Mental Health Concerns on Clients and Firms

- ▶ Inconsistent work quality; inattentiveness to detail
- ▶ Diminished diligence/competence
- ▶ Impaired response inhibition; losing his/her temper with co-workers and clients; behaving badly in court, etc.
- ▶ Absenteeism/tardiness; long unexplained absences and 'work' lunches

www.lclpa.org

15

## The Impact of Untreated Addiction & Mental Health Concerns (contin.)

- ▶ Memory loss; forgetting appointments, conversations, etc.
- ▶ Isolation and unwillingness to cooperate on cases
- ▶ Missing filing deadlines; incomplete case documentation
- ▶ Professional misconduct complaints
- ▶ Malpractice claims against the lawyer and firm

***The longer an SUD remains untreated, the more likely you are to become subject of a malpractice suit, disciplinary action, or disbarment.***

www.lclpa.org

16

## Addiction in Sole Practitioners

- ▶ **Unlike those in larger firms, they often do not have the resources to:**
  - recover/assuage concerned & upset clients,
  - pick up the 'slack' related to impaired behaviors and diminished productivity,
  - prevent/mitigate major negative consequences after impairment-related errors in practice,
  - have their altered behavior/appearance frequently assessed by others,
  - take a leave of absence for treatment while keeping the practice afloat.
- ▶ **They often practice in the highest risk areas for SUD and MDD- Family and Criminal Law.**

*These factors cause GP's/SP's to incur a disproportionate number of misconduct complaints and malpractice claims related to addiction and mental illness.*

www.lclpa.org

17

## Warning Signs of Substance Use Problems

- Using/drinking is causing problems at work or home.**
- You are using/drinking more than you used to.**
- It is difficult to control your drinking/using and/or to predict your behavior once started.**
- People in your life believe that you have a problem.**
- You get angry when others express concern.**

www.lclpa.org

18

## Spotting the Impaired Colleague

- Unkempt appearance, poor hygiene
- Absenteeism & tardiness
- Financial problems
- Declining work productivity & quality
- Attitude problems, moody, disagreeable
- Alcohol or drug related arrests or warnings
- Erratic or irresponsible behavior
- Frequent illness, injuries, an accident
- Not acting like themselves
- Isolating/avoiding social interaction
- Health issues (change in sleeping, eating, etc.)

www.lclpa.org

19

## Major Depression and Substance Use Disorders Share Many Similar Symptoms

### **They both interfere with:**

- ▶ Critical thinking and planning skills
- ▶ Ability to concentrate
- ▶ Motivation
- ▶ Comprehension
- ▶ Sleep
- ▶ Eating
- ▶ Sexual drive

**Due to symptom overlap and spectrum, only a health care professional should evaluate and diagnose.**

www.lclpa.org

20

## Motivational Interventions

**The goal is to motivate the attorney/judge/law student in distress to accept help.**

1. Identify various approaches.
2. Discuss the pros and cons of each approach.
3. Choose the optimal approach.
4. Learn what to say and how to say it.
5. Learn what not to say.
6. Friends/colleagues may participate in the approach if indicated.

www.lclpa.org

21

## Things to Know Before an Approach

- ▶ The goal is to help a troubled colleague who is likely fearful, confused and therefore defensive.
- ▶ If there is co-occurring depression and substance use disorder, he/she may interpret helpful conversation negatively. This may reinforce his/her feelings of failure, worthlessness and hopelessness.
- ▶ Seek professional assistance before any approach.
- ▶ A carefully thought out, thoroughly discussed and prepared/scripted approach is ideal.
- ▶ Expressing your own anger and frustration is usually hurtful and counter-productive.

www.lclpa.org

22

## Choosing the Best Approach

### Consider the following:

- What is the risk of harm to self, others, or clients? Is there any history of violence?
- What is the primary reason you have decided to make an approach?
- Have there been any prior approaches?
- What support systems are available to you and your colleague after the approach?
- Who is willing and appropriate to be involved?

www.lclpa.org

23

## Key Principles of Motivational Interventions

- ▶ It should be a collaborative conversation, not a confrontation.
- ▶ Build rapport, create trust, and convey that your primary concern is their health and best interest.
- ▶ Ask open-ended questions.
- ▶ Re-state what the person says to act as a 'mirror' for them and to illustrate that you are listening attentively.
- ▶ Do not engage in argument or debate; no 'right-fighting.'

www.lclpa.org

24

## Key Principles (cont'd)

- ▶ Do not label them as an 'addict' or 'alcoholic' or as 'depressed.'
- ▶ Do not rely on hearsay.
- ▶ Do not use a 'laundry list' to prove your point.
- ▶ Make sure your body language and voice tone convey concern and kindness, not judgment.
- ▶ Use leverage as a last resort- when the risk of harm to self, others, clients, etc. is unacceptable.

www.lclpa.org

25

## "Depression" vs Major Depression (aka Major Depressive Disorder/MDD)

"Depression" is a **short term** state of depressed mood or unhappiness; a **normal emotional reaction** (low spirits, gloominess, dejection, sadness) **to a loss or disappointment** that passes on its own within a relatively short period of time.

This common type of "depression" does not meet the DSM-V Manual clinical criteria for the diagnosis of a depressive mood disorder like Major Depression.

www.lclpa.org

26

## Attorneys & Mental Health

- Practicing lawyers exhibit anxiety & depressive symptoms and feelings of hostility 8-15 times more than the general population.
- 28% of US lawyers (>12,000 surveyed) screened positive for depression symptoms in 2016 study.

[www.lclpa.org](http://www.lclpa.org)

27

## Attorneys & Major Depression

Attorneys have the highest rates of major depression (aka major depressive disorder/MDD) of any occupation.

- 3.6 X more likely to suffer from MDD than the general population (6.9% of the general population will suffer from MDD in a given year).
- 1 in 5 attorneys will suffer from MDD in their lifetime.

[www.lclpa.org](http://www.lclpa.org)

28

## Major Depressive Disorder (MDD)

- After 1<sup>st</sup> episode – 50%
- After 2<sup>nd</sup> - 70%
- After 3<sup>rd</sup> - 90%

***Chronic. Progressive. Fatal.***  
Only 1 in 3 suffering with MDD will seek help

www.lclpa.org

29

## Major Depression (MDD) aka Clinical Depression

- ▶ An extreme, disabling, prolonged episode (at least two weeks duration)
- ▶ ...of sadness and feelings of hopelessness
- ▶ ...in which a person loses interest or pleasure in previously enjoyed activities.

www.lclpa.org

30

## **Wide Spectrum of Symptoms and Severity of Major Depression**

### **Relative persistence over a two week period of:**

- persistently sad or empty mood
- loss of interest in pleasurable activities
- withdrawal from family and friends
- dwelling negatively on the past
- negative thoughts and urges
- over-reacting / under-reacting
- emotional feelings of despair & hopelessness
- contemplation of death as a viable solution

[www.lclpa.org](http://www.lclpa.org)

31


## **More Signs of Major Depression**

- change in eating habits/unusual weight gain/loss
- sleep pattern disrupted (too much / too little)
- difficulty in thinking, planning & concentrating
- difficulty in making decisions
- moodiness: irritable, anxious, easily angered
- feelings of inadequacy and helplessness
- feelings of worthlessness; undeserving of help

[www.lclpa.org](http://www.lclpa.org)

32

## Prevalence of Major Depression Among Attorneys



www.lclpa.org

33

## Co-occurring Disorders (Dual Diagnosis)


**Simultaneous existence of a psychological and substance use disorder (SUD) is common:**

- ▶ 60% of attorneys in SUD treatment had a dual diagnosis compared to:
  - 46% of healthcare professionals
  - 28% of non-professionals
- ▶ 32% of attorneys with a dual diagnosis had major depression and a SUD.

www.lclpa.org

34

## Incidence of Co-occurring Substance Use and Mental Health Disorders



www.lclpa.org

35

## Why Don't Attorneys Seek Help?

- ▶ Perfectionism
- ▶ Fear of stigma
- ▶ Ego
- ▶ Excessive self-reliance
- ▶ Seen as problem-solvers
- ▶ Fear of impact on job & reputation
- ▶ DENIAL & rationalization; lack of insight into self

www.lclpa.org

36

## Why Attorneys Can Be Treatment Resistant

### Rules of Recovery

- ✓ Don't analyze
- ✓ Don't judge
- ✓ Don't compare
- ✓ Don't blame
- ✓ Don't justify

**VS**

### Rules of Legal Practice

- ✓ Analyze
- ✓ Judge
- ✓ Compare
- ✓ Blame
- ✓ Justify

www.lclpa.org

37

## Treatment: There Is Hope

- ▶ Addiction and mental illness are treatable through a combination of therapy, medication &/or 12- Step and other support groups.
- ▶ Treatment addresses the underlying illness that may be a causal factor in professional impairment.

www.lclpa.org

38

## **Drug & Alcohol Treatment Levels of Care**

- ▶ Medical detoxification if physically dependent
- ▶ Short term use of medication to reduce cravings or blunt the effect of alcohol or other mood altering drugs
- ▶ Outpatient therapy
- ▶ Intensive outpatient therapy
- ▶ Inpatient/residential treatment center stays

www.lclpa.org

39

## **12 Step Recovery Support Groups**

- ▶ Active attendance at AA, NA, GA, etc.
- ▶ Close contact with “Sponsor”
- ▶ “Working the Steps”
- ▶ Have a home group
- ▶ Help other alcoholics (addicts, gamblers)
- ▶ Take ownership of your part in things
- ▶ Healthy life style

## **Other Recovery Support Programs**

- ▶ SMART ([smartrecovery.org](http://smartrecovery.org))
- ▶ Women for Sobriety ([womenforsobriety.org](http://womenforsobriety.org))
- ▶ Secular Organization for Sobriety ([sossobriety.org](http://sossobriety.org))
- ▶ Celebrate Recovery (Christian)

www.lclpa.org

40

## Antidepressants

- ▶ Help to restore homeostasis in the brain; re-balance brain chemicals that are altered in number and/or function during illness
- ▶ Medications neither cure the depression nor automatically clear up a person's negative self perceptions, attitudes or behaviors.
- ▶ Often used as adjuvant to talk therapy
- ▶ It is generally accepted that most anti-depressants are not prone to abuse or addiction as they are not "euphoric" by nature.

www.lclpa.org

41

## The Nature of Antidepressants

- ▶ Often requires 6-8 weeks of use before any notable benefit seen (need to reach therapeutic blood level)
- ▶ Gradual lifting of the depression
- ▶ Not an instant 'fix'
- ▶ Requires individualized treatment; no one-size-fits-all approach
- ▶ May need to try several different types over time for optimal response; often best in combination with therapy
- ▶ Temporary side effects may include dry mouth, constipation, decreased sex drive, sleep disturbance, headaches, fatigue, etc.

www.lclpa.org

42

## Talk Therapy

1. Behavioral – concentrate on identifying and changing current behaviors
2. Cognitive – focus on your thoughts and beliefs regarding yourself & others; challenge negative thinking
3. Interpersonal – concentrate on current relationships at home and at work
4. Identify and address trauma history; develop coping skills

[www.lclpa.org](http://www.lclpa.org)

43



What is  
**well-being**  
and how  
do we  
**achieve it?**

[www.lclpa.org](http://www.lclpa.org)

44

## The Well-Being Tool Kit for the Legal Profession

A lot of great information on how to increase your well-being and resilience

[https://www.americanbar.org/content/dam/aba/administrative/lawyer\\_assistance/ls\\_colap\\_Brafford\\_Tool%20Kit.authcheckdam.pdf](https://www.americanbar.org/content/dam/aba/administrative/lawyer_assistance/ls_colap_Brafford_Tool%20Kit.authcheckdam.pdf)



www.lclpa.org

45

## Gratitude

Increased gratitude = ↑ energetic, ↓ depressed, ↓ anxious, ↓ envious

1. **Journal:** 1X a week, 6 weeks, write down 3+ things you are grateful for = ↑ happiness (can download an app that will remind you)
2. **Appreciative Art:** engage in art to express gratitude (paint, collage, clay)
3. **Gratitude Photo Collage:** sharing joy pictures depicting things that make us grateful increases enjoyment of them
4. **Gratitude Letter:** write a letter and share it with them (*in person or in mail*)(postal carrier, bus drivers). **15 min/1X a week/ 8 week period = ↑ happiness**
5. **Gratitude Jar:** invite co-workers to drop notes of gratitude in a jar that are read out loud 1x a week

www.lclpa.org

46

## Five Ways to Improve Well-Being & Boost Resilience

1. Practice Gratitude
2. Practice Mindfulness/Meditation
3. Volunteer to Help Others
4. Practice Self Compassion
5. Humor



<https://judicialstudies.duke.edu/wp-content/uploads/2018/01/JUDICATURE101.4-buchanan.pdf>  
Journal of Personality and Social Psychology, 2003, Vol. 84, No. 2, 377-389

www.lclpa.org

47



**What is the  
Legal Profession  
doing to address  
Well-Being?**

www.lclpa.org

48

## National Task Force on Lawyer Well-Being

**Born in AUGUST 2016 as a result of two studies:**

- The Krill/ABA Study
- Law School Well-Being Survey

**The goal of the National Task Force is "to create a **MOVEMENT** towards improving the health and well-being of the legal profession."**

[www.lclpa.org](http://www.lclpa.org)

49

*"Sometimes you will never know  
the value of a moment until it  
becomes a memory."*

– Dr. Seuss



[www.lclpa.org](http://www.lclpa.org)

50

## **Take Home Messages**

- ▶ **1 in 5 of you will suffer from Major Depression.**
- ▶ **1 in 5 of you will suffer from Addiction &/or Alcoholism.**
- ▶ **It only gets worse if you don't get help.**
- ▶ **Get help, get better, and get back to your life.**

www.lclpa.org

51

## **LAWYERS CONCERNED FOR LAWYERS PENNSYLVANIA**

**www.lclpa.org**

**Confidential Helpline**

**1-888-999-1941**

**24 hrs/day, 7 days/week, 365 days/year**

**Independent, non-profit PA corporation**

- ▶ Free information and literature
- ▶ Free evaluation by a healthcare professional
- ▶ Free assistance with interventions
- ▶ Peer support
- ▶ Lawyer/Judges-only 12 Step meetings
- ▶ LCL staff support

**Our services are free, confidential,  
non-judgmental and non-obligatory.**

www.lclpa.org

52